

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
190X/XT/XT3,210, 220,220FWA w/Stopler Cab	Heater motor (rev. single shaft, 2 wire 12v)	0254964-0	01-3005
190(X/XT/XT3),210, 220 cab# 69-A21092 & below	Heater motor w/OE#	0253302-4	call
190(X/XT/XT3),210, 220 cab# 69-A21093 & up	Heater motor w/OE#	1143336-4	call
200 S/N 4001 & up	Double shaft (5/16"), 2 wire 12v	0257336-8	01-2000
200,210,220, 220WFA (W/Laporte cab)	Heater/AC motor w/OE#	0256769-1	call
200,210	Condenser motor w/OE#	257681	call
200,210	Condenser motor w/OE#	257682	call
440 (S/N 1460 & below)	w/OE#	2084032-8	call
6060,6080,7000-7080,7580, 8010-8050,8550,9130-9190,	Double shaft (3/8"), 3 speed 5 wire 12v	1501171-1	01-3016
9455,4W220/305,440		0578041-6 72162089-6 2085006-6 71501171-4	
6060 & 6080	w/OE#	0275685-6	call
8070	w/OE#	72512754	call
8610,8630	w/OE#	72249068-7	call

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
440	York comp. 7" dia. 2 groove		02-3000
8610,8630,9120-9190	Sanden SD508/510 w/5-1/4" 2gr 12v clutch (R12)	72215919-1 72162178-7	02-3064
	Sanden SD5H14 w/5-1/4" 2gr 12v clutch (R134a)		02-3465
9455	w/OE#	72507683	call

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
190 (X/XT/XT3)	w/OE#	0254076-3	call
200-220,7000-7080,7580, 8550,4W305,8010-8070	A6 comp. W/5-5/8" dia. 1gr 12v clutch	0256782-4 272002-7 70272981 79008037 70272976 70264637	03-1811
4W220,6060-6080,8010,8030-8070	R4 comp.w/1gr clutch (rim style)	70273878	call
	Sanden (model 9668)		
440	SD510 w/5.19" 1gr 12v clutch (R12)	2085212 2085284	call
440	York Flange (F209/210R)	2085013	03-3003E
6260-6275 Star,7085,7110,7120, 7145,8610-8630,9130-9190	Sanden (model 8387) SD508 w/6" 2gr 12v clutch (R12)	04363723-0	03-3005
	Sanden (model 8387)		
	SD5H14 w/5-1/4" 2gr 12v clutch (R134a)	N/A	03-3405
8610-8630,9130-9190	Sanden (model 9519) w/5-1/4" gr 12v clutch (R12)	72239750-2 72162168-8	03-3017
	Sanden (model 4531) w/5-1/4" 2gr 12v clutch (R134a)	N/A	03-3444
9455	w/OE#	72504984	call

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/OE #		3500-01	07-5011A
190(X/XT/XT3)	w/OE#	0255565-4	call
440 (S/N 146& below)	w/OE#	2084358-7	call
		1162927	
200,210,220,220FWA (W/Laporte cab)	O-Ring fittings, 2-3/4" x 6-1/2" w/OE#	0256818-6	07-2619A
6260-6275 Star cab	w/OE#	04353731-1	call
7000-7080,7580,8550	4" x 7-1/2" in-line w/OE#	0268464-5	07-5002A
7085,7120	w/OE#	70276903-5	call
7110,7145	w/OE#	4346256-3	call
8610,8630	w/OE#	72248743-6	call
9130-9190	Flare or O-Ring type 2-3/4" x 10" w/LP switch	72161835-3	07-2603A
9455	w/OE#	72502208	call

Switches – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
200,6060,9130-9150	Blower switch (5 term.w/o resistors)	71195109	11-3050
200.220,4W220,4W305,6080,7000-7080	Blower switch (5 term.w/resistors)	475262-3	11-3053
7580,8010-8070,8550		1175262-3	
		70577454	
		0586082-0	
440	Low pressure switch w/OE#	2084909-7	call
200,7020,7060,7580,8010,8050,8070,8550	Thermo-disc switch (Cond.mounted)	0257334-3	11-3013
4W305,6060,8010-8070,9080,9130-9190	Low pressure switch (2 term. Drier mounted)	70264650	11-3010
		72162165-4	
8610-8630	Blower switch w/OE#	72258884-5	call
8610-8630	Low pressure switch w/OE#	72248746-9	call
9130-9190	High pressure switch w/OE#	72161644-9	11-2027
9170-9490	Blower switch w/OE#	72162649-7	call

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
190(XT/XT3)	Knob operated w/OE#	1160992-2	call
	Cable operated w/OE#	0255652-0	call
200	w/OE#	0257334-3	call
220-220,7010,7020,7060,7080, 7580,8010-8070,8550	Knob operated (36" capillary tube) w/OE#	1162474-9	11-3076
		0268476-9	
440	w/OE#	2084129-2	call
4W220,4W305,440,6060-6080,7000,7030-7050	Knob operated (48" capillary tube) w/OE#	0272229-9	11-3075
7580,8010-8070,8550	Knob operated (48" capillary tube) w/OE#	0272229-9	11-3075
6260-6275 Star cab	w/OE#	4363011	call
7085,7110-7145	w/OE#	4360486-7	call
8610-8630	w/OE#	72258885-2	call
9130-9190,9455	Knob operated (w/Kysor AC)	72162641-4	11-3077

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
200,210,220,220FWA (W/Laporte cab)	Flare valve, internally equalized (1 tube)	1162473-1	12-3021A
4W220/305,8010-8070	O-Ring valve, externally equalized (2 tubes)	71504287-5	12-3017A
440 (S/A 1460 & below)	w/OE#	2084101-1	call
6260-6275,7085,7110,7120,7145, 8610-8630,9130-9190,9455	Block type valve OE#	04322165-4	12-2012A
		72162195	
7000-7080,7580,8550	O-Ring valve, externally equalized (2 tubes)	268470	12-3035A
		0259379-8	
		259978	

BOBCAT

Compressors

(Also See Section V: Illustrated FOR **SELTEC TM08 SERIES COMPRESSORS**)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	w/2 grv, 135mm, 12 volt, 2 wire, 3-hole alternator mount	488-42017	03-3108
All	w/2 grv, 135mm, 12 volt, 1 wire	488-42021	03-3100
All	w/4 grv, 120mm, 12 volt, 1 wire, 3-hole alternator mount	488-42080	03-3109
All	w/6 grv, 120mm, 12 volt, 1 wire, 3-hole alternator mount	488-42081	03-3110
All	w/2 grv, 135mm, 12 volt, 3-hole alternator mount	488-42017	03-3108



Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Hydro-100,186,766,786,886, 966,986,1066,1086	Double shaft (3/8") 12v 3 speed 5 wire	142990-C2	01-3016
1466,1468,1486,1566,1568,1586,1896,2090,		117784-C5	
2390,2470,2590,2670,2870,2290,		539031-R2	
3088,3288,3294,3388,3394,		112990-C2	
Hydro-3488,3588,3594,3688,		F89388	
3688HC,3788,4166,4186,4366,4386,		F89750	
4490,4494,4568,4586,4690,4694,		F96901	
4786,4890,4894,4994,5088,5288,		175577-C1	
5488,6388,6588,6788,7288,7488		70902-C1	
Hydro-100,766,966,1066,1466,1566,1568	Condenser Motor (Single shaft) 12v, 2 wire	117783-C1	01-3019
		539047-R2	
585,595,685,695,885,895,995,5120-5140, 5220, 5230,5240,7110-7150	Double shaft (5/16") 12v, rev.	1974779-C1	01-2614
770,870,970,1070,1175,1270,1370,1570, 2470,2670	Double shaft (5/16") 12v 3 speed	F87950	01-3061
		A42567	
1470TK	Double shaft (3/8") 24v 3 speed 5 wire	A44302	01-3021
		631991-C91	
1896,2090,2094,2096,2290,2294,2390, 2394,2590,2594,3294,3394,3594,4494, 4690,4694,4890,4894,4994	w/OE#	F36903	call
		F42775	
		F45196	
7240,7250,8910,8920,8930,8940,8950	w/OE#	1977564-C2	call
9110,9130,9150,9170,9180,9210, 9230,9240,9250, 9260,9270,9280 w/OE#	9210-9260 SN#JCB0028399 below	60-5613-T1	call
	9270-9280 SN#JEE0031849 below		
9210,9230,9240,9250,9260,9270,9280, 9310,9330,9350,9370,9380 w/OE#	9210-9260 SN#JCB0028400 UP	60-6851-T1	call
	9270-9280 S/N#JEE0031850 UP		
9190 PIN#131-03213 up	w/OE#	60-2564-T1	call
9190 PIN#131-03212 below	w/OE#	1-4009-T1	call

Blower Wheels & Fans

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
186,786,886,986,1086,1486,1586, 3088,3288,3388,3488,3588,3688, 3788,4166,4366,4386,4568,4586, 4786,5088,5288,5488,6388,6588,6788	Blower Wheel w/double shaft (3/8") motor		18-3022
715,815,915,1440,1460,1480	Blower Wheel w/double shaft (3/8") motor		18-3022
766,966,1066,1466,1468 w/Custom Cab	Blower Wheel w/double shaft (3/8") motor		18-3022
766,996,1066,1466,1468,1566,1568,4166,4186 .	Condenser Fan Blade (8" dia. CW)		18-3008
815,915	Blower Wheel w/single shaft (5/16") motor		18-2003
870,970,1070,1270,1370,1570,2470,2670	Blower Wheel w/double shaft (5/16") motor		18-2200
1566,1568	Blower Wheel w/double shaft (3/8") motor		18-3023

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Hydro100,766,966,1066,1466,1566,4166,4186	York/CCI/Tecumseh 2 groove 6" dia. Std.Duty	65338-C91	02-3001
	York/CCI/Tecumseh 2 groove 6" dia. Heavy Duty	65338-C91	02-3402
186,786,870,886,970,986,1070,1086,1270,1370,1468, 1486,1568,1570,1586,1690,2090,2094,2290,2294, 2390,2394,2470,2590,2594,2670,3088,3288,3294, 3388,3394,3488,3588,3594,3688,3788,4366,4386, 4568,4586,4786,5088,5488,6388,6588,6788,7250, 7488,5288	York/CCI/Tecumseh 2 groove 7" dia. Std.Duty	118161-C91 111631-C91 143405-C91 A66057 162008	02-3000
	York/CCI/Tecumseh 2 groove 7" dia. Heavy Duty	118161-C91	02-3003
585,595,685,695,885,895,3220,3230,4210,4230,4240, 5120,5130,5140,5220,5230,5240,7110,7120,7130, 7140,7150,7210,7220,7230,7240,7250,8910,8920, 8930,8940,8950,9210,9230,9240,9250,9260,9270, 9280,9310,9330,9350,9370,9380	Sanden 6" dia 2 groove SD508	83935C1 135324-A1	02-3066
1294,1394,1494,1594,9110,9130,9150,9170,9180, 9190,9210,9230,9240,9250,9260,9270,9280	Sanden 5-1/4" 2 groove SD508/510 Sanden 5-1/4" 2 groove SD5H14 (R134a)	1-3759	02-3064 02-3465
1470TK	w/OE#	T39862	call
1896,2096	w/OE#	A49676	call
2470,2670,2870,4490,4494,4690,4694,4890,4894	York 7" HD 2 groove	111631-C91	02-3003

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	w/2 grv, 152 dia., 12 volt (4609)	1990755-C3	03-3730
All	w/2 grv, 152 dia., 24 volt (4611)	1990760-C2	03-3731
All	w/8 grv, 152 dia., 12 volt (4768)	317008-A3	03-3737
All	w/8 grv, 152 dia., 24 volt (4795)	352524-A2	03-3740
Hydo100,186,786,886,986,1086,1486,1586,3388,588, 3788,4366,4386,4568,4586,4786,	York compressor (Rotolock R209/210R)	118250-C1	call
30-3028,766,870,966,970,995,1066,1070,1270,1370,1466,1468,1470TK,1490,1566,1568,1570,1690,2090,2094,2290, 2294,2390,2394,2470,2590,2594,2670,3294,3394, 3594,4166,4186	York compressor (Rotolock R209/210L)	417888-C92 A64810 A141060	03-3004E
585,595,685,695,885,895,3220,3230,4210,4230,4240,5120,5130,5140,5220,5230,5240,7110,7120,7130,7140,7150, 7210,7220,7230,7240,7250,8910,8920, 8930,8940,8950,9210,9230,9240,9250,9260,9270,9280,9310,9330, 9350,9370,9380	Sanden SD510 (model 9571) w/6" 2 gr. clutch (Supplied with 5-1/4" dia. Clutch)	97204-C1 197795-C1 1977959-C1 1999755-C2	call
1294,1394,1494,1594,9110,9130-9150,9170,9180,9190,9210,9230,9240,9250, 9260,9270,9280	Sanden SD510 (model 9103/9120) w/2 gr clutch Sanden SD5H14 (model 4509/4510) w/2 gr.clutch	K307237 60-2921-T91 60-2921-T94	03-3008 03-3405
1896,2096,4694	w/OE#	177068,A177068	call
2470,2670,2870,4490,4494,4690,4694,4890,4894	A6 compressor w/5" dia 1 groove 12v clutch	160,638,135,362	03-1810
3088,3288,3488,3688,3688HC,5088,5288,5488,6388, 6588,6788,7288,7488	York compressor (Tube-O T209/210R) (Requires use of two 08-3070 adapters)	1255750-C91	call
4994	Sanden compressor w/OE#	A165850	call
All w/Sanden #4609	SD7H15SHD w/2 gr 12v, 152mm dia. clutch	U4609	03-3730
All w/Sanden #4611	SD7H15SHD w/2 gr 24v, 152mm dia. clutch	U4611	03-3731

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Hydro100,186,766,886,966,986,1086,1466,1468,1486 ...	Flare 4" x 6-3/4" w/top sight glass	111218-C1	07-0813A
560,580	Flare 3" x 6" w/OE#	916384-C1	07-0400A
186,585,595,685,695,885,886,895,986,1086,1486, 1586,3388,3588,3788	O-Ring 4" x 7" w/top sight glass	118304-C1	07-0811A
186,786,886,986,1086,1486,1586,3088,3220,3230, 3288,3388,3488,3588,3688,3788,4210,4230,4240, 5088,5120,5130,5140,5220,5230,5240,5288,5488, 6388,6588,6788,7110,7120,7130,7140,7150,7210, 7220,7230,7240,7250,7288,7488,8910,8920,8930, 8940,8950,9210,9230,9240,9250,9260,9270,9280, 9310,9330,9350,9370,9380	M x F O-Ring 4" x 7-7/8" w/OE#	143469-C2	07-5043A
		1990758-C2	
870,970,1070,1270,1294,1370,1394,1490,1494,1570, 1594,1690,1896,2090,2094,2096,2290,2294,2390, 2394,2470,2590,2594,2670,2870,3294,3394,3594, 4490,4494,4690,4694,4890,4894,4994	O-Ring 2-1/2" x 8" T-Flow	A61688	07-0602A
1066,1566,1568,1586,4166,4186	Flare 4" x 7" w/side sight glass	539049-R1	07-0813A
1470TK	w/OE#	39837	call
4366,4386,4568,4586,4786	O-Ring 2-3/4" x 10" w/LP switch, OE#	134552-C1	07-2603A
		A76312	
		A76085	
9170,9180	In-line drier 3/8" fittings, 2-1/2" x 7-5/8"	60-1987-T91	07-3054A
All w/OE#	Flare 2-1/2" x 8" T-Flow w/o switch	L109036	07-3006A
	Flare 2-1/2" x 8" T-Flow w/LP switch	L77169	07-1600A

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
585,595,685,695,885,895,3220,3230,4210,4230,4240 ...	Blower switch OE#	3405693-R1	call
766,966,4166,4186,4568	Blower switch OE#	539052-R2	call
786,870,886,970,986,1070,1086,1270,1370,1486,1490, 1570,1586,1690,1896,2090,2094,2096,2290,2294,2390, 2394,2470,2590,2594,2670,3088,3288,3294,3388,3394, 3488,3588,3594,3688,3788,4386,4490,4494,4586,4690, 4786,4890,4894,4994,5088,5288,5488,6388,6588,6788, 7288,7488	Blower switch (5 term.w/o resistors) OE#	168822-C2	11-3050
		A42622	
		L73617	
1070,1370	Blower switch OE#	A42566	call
1294,1394,1494	Blower switch OE#	K303726	call
2470,2670,2870	Blower switch (5 term.w/resistors) OE#	A63886	11-3053
5120,5130,5140,5220,5230,5240,7110,7120,7130,7140, 7150,7210,7220,7230,7240,7250,8910,8920,8930,8940, 8950,9210,9230,9240,9250,9260,9270,9280,9310,9330, 9350,9370,9380	Blower switch OE#	92100-C2	call
Hydro100,766,966,1066,1466,1468,1566,1568,4166,4186 ...	High pressure switch w/OE#	539061-R2	11-0813
585,595,685,695,786,870,886,895,970,986,1070,1086, 1270,1370,1486,1586,3088,3288,3388,3488,3588,3688, 3788,4366,4386,4568,4586,4786,5088,5288,5488,6388, 6588,6788,7288,7488,9170,9180	Low pressure switch (drier mounted) OE#	111267-C4	11-2029
		A65785	
		3846117	
1294,1394,1494,1594,1690,1896,2090,2094,2096,2290, 2294,2390,2394,2470,2590,2594,2670,2870,3294,3394, 3594,4490,4494,4690,4694,4890,4894,4994	Low pressure switch (drier mounted) OE#	A47717	11-3010

(continued)

Switches (continued)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
3220,3230,4210,4230,4240,5120,5130,5140,5220,5230, 5240,7210,7220,7230,7240,7250,8910,8920,8930,8940, 8950,9310,9330,9350,9370,9380	Low pressure switch w/OE#	122579-A1 284272-A2	11-3027
5120,5130,5140,5220,5230,5240,7110,7120,7130,7140, 7150,9210,9230	Low pressure switch w/OE#	92153-C1	11-2028
1470TK	Low pressure switch w/OE#	75086	call
9110,9130,9150,9170,9240,9250,9260,9270,9280	Low pressure switch w/OE#	60-5881-T1	call
9210,9230	Low pressure switch w/OE#	60-6854-T1	call
585,595,685,695,786,870,885,886,895,970,986,1070, 1086,1270,1294,1370,1394,1486,1490,1494,1570,1586, 1594,1690,1896,2090,2094,2096,2290,2294,2390,2394, 2470,2594,2670,2870,3294,3388,3394,3588,3594,3788, 4366,4386,4490,4494,4568,4586,4690,4694,4786,4890, 4894,4994,6388,6588,6788,7288,7488	High pressure switch OE#	111266-C1 539047-R2 A65770	11-3012
766,966,4166,4186	High pressure switch OE#	539069-R2	call
3220,3230,4210,4230,4240,5120,5130,5140,5220,5230, 5240,7210,7220,7230,7240,7250,8910,8920,8930,8940, 8950,9310,9330,9350,9370,9380	High pressure switch (std. thread) OE# High pressure switch (metric)	1999925-C1	11-0817 11-0827
5120,5130,5140,5220,5230,5240,7110,7120,7130,7140, 7150	High pressure switch OE#	92038-C1	11-0821
9130,9150	High pressure switch OE#	60-4223-T1	call
9210,9230	High pressure switch OE#	60-6818-T1	call
4490,4494,4694,4890,4894	Superheat switch (A6 comp.)	576616-C91	11-0210
4000,5000,5500	Thermo Disc switch (cond. Mounted)	155491-C91	11-3013

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
186,585,595,685,695,786,885,886,895,986,1086,1486, 1586,3088,3220,3230,3288,3388,3488,3588,3688, 3788,4386,4586,4786,5088,5288,5488,6388,6588,6788, 7288,7488	Knob operated, 48" capillary tube, OE#	109268-C2 301395-C91 L108189 01-784010	11-3075
1490,1690,1896,2090,2094,2096,2290,2294,2390,2394 2470,2590,2594,2670,2870,3294,3394,3594,4490,4494, 4690,4694,4890,4894,4994	Knob operated, 36" capillary tube, OE#	A43186 F43646 168902-C1 175575-C1	11-3076
Hydro100,766,966,1066,1070,1466,1566,1568,4166, 4186,4366,4568		700500-C2	11-3078
756,856,1256,1456,4100	Cable operated, OE#	398936-R1	11-3077
870,970,1070,1270,1370,1570,2470,2670	Knob operated, 18-24" capillary tube, OE#	A42623	11-3085
1294,1394,1494,1594	w/OE#	A176304	call
1470TK	w/OE#	F39873	call
4210,4230,4240,5120,5130,5140,5220,5230,5240,7110, 7120,7130,7140,7150,7210,7220,7230,7240,7250,8910, 8920,8930,8940,8950,9210,9230,9240,9250,9260,9270, 9280,9310,9330,9350,9370,9380	w/OE#	9210-1C1	call
9190	w/OE#	25-1067 20-1463-T1	call

Valves — Expansion
(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
186,886,996,1086,1486,1586	O-Ring fittings, externally equalized (2 tubes)	118305-C3 128033-C1	12-3017A
186,786,886,996,1086,1486,1586,3088,3288,3388, 3488,3588,3688,3788,5088,5288,5488,6388,6588, 6788,7288,7488,9110,9130,9150,9170,9180	Block Type valve OE#	118321-C1 60-5880-T1	12-2012A
585,595,685,695,885,895	O-Ring fittings, externally equalized (2 tubes)	1280333-C1	12-3017A
766,966,970,1066,1270,1370,1394,1466,1468,1490, 1494,1566,1568,2590,2594,2670,2870,3294,3394, 3594,4490,4494,4690,4694,4890,4894,4994	Flare fittings, externally equalized (2 tubes) OE#	539064-R1	12-3010A
870,1070,1270	Flare fittings, externally equalized (2 tubes) OE#	F63726 647669-C1	12-3013A
870,966,970,1070,1270,1370,2470	w/OE#	A42625	call
1470TK	w/OE#	T39855	call
3220,3230,4210,4230,4240,5120,5130,5140,5220, 5230,5240,7110,7120,7130,7140,7150,7210,7220, 7230,7240,7250,8910,8920,8930,8940,8950,9210, 9230,9240,9250,9260,9270,9280,9310,9330,9350, 9370,9380	Block Type valve OE#	1990756-C1 98370-C3	12-2612A
4366,4386,4568,4586,4786,9190	Flare fittings, internally equalized (1 tube)	20179-C1 168903-C91	12-3020A
9110,9130,9150,9170,9180	Block Type valve OE#	60-4087-T1	12-0613A

Blower Motors

APPLICATION	O.E.M. #	PART NO.
Condenser Motor (24 volt), OE #	6K9781	01-2022
	9P1404	
	RD5-6074-0	
Evaporator Motor (24 volt), OE #	8P9982	01-2619
	9G0393	
	9G0397	
	9G8693	
	9G8697	
	RD5-6071-0	
	3P8379	01-3021
	9P2217	
	RD5-6073-0	
Condenser Motor (27 volt), CW, 1.75" shaft length OE #	174-1495	01-3081
Evaporator Motor (27 volt), REV, 3" dbl shaft OE #	174-1494	01-3068

Clutches – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
York/CCI/Tecumseh	6" dia. Std. 12 volt 2 groove		02-3001
	6" HD 12 volt 2 groove		02-3402
	7" Std. 12 volt 2 groove		02-3000
	7" HD 12 volt 2 groove		02-3003
	6" HD 24 volt 2 groove		02-3051
	7" HD 24 volt 2 groove		02-3050

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Frigidaire A6 (CW Rotation)	w/6-7/8" dia. clutch, 24 volt, OE #	7N4296, 7N4297	03-1813A
	(w/11:00 Coil Position)	2P8232	
Frigidaire A6 (CW Rotation)	w/6-7/8" dia. clutch, 24 volt, OE #	1P6416	03-1813A
	(May require extension of coil wire)		
Frigidaire A6 (CW Rotation)	w/5-5/8" dia. clutch, 24 volt		30-1818
	(w/11:00 Coil Position)		
Sanden SD7H15 Comp.	w/24v clutch (R134a) 1 groove	4519	03-3421
	w/12v clutch (R134a) 1 groove	4608	03-3749
Sanden SD7H15SHD	w/1 gr 24v clutch	3E1906	03-3729
		3E1907	
		U4604	
Sanden SD7H15SHD	w/1 grv, 138mm, 24 volt (4640, 8109)	106-5122	03-3730
Sanden SD7H15SHD	w/1 grv, 152mm, 12 volt (4608, 8108)	3E-1908	03-3749
Sanden SD7H15SHD	w/2 grv, 138mm, 12 volt (4661)	SD4661	03-3499
Sanden SD7H15SHD	w/8 grv, 132mm, 24v clutch (4726)	141-9676	03-3733
Sanden SD7H15SHD	w/8 grv, 132mm, 24 v (4769)	163-0872	03-3738
Sanden SD7H15SHD	w/8 grv, 132mm, 12 v (4813)	178-9570	03-3741
Sanden SD7H15SHD	w/8 grv, 152mm, 24 v (4840)	183-5106	03-3747

Evaporators

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
950B/E, 966, 980 A-C loaders	w/Red Dot A/C R10044 Unit	RD11-0069-0	05-2653
950F, 966F	w/Red Dot A/C R10045 Unit	RD2-2440-0	05-2654
Haulers	w/Red Dot A/C R10235 Unit	RD2-1766-0	05-2655

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	Accumulator Pad Type w/OE#	176-1902	07-5054A
All	All w/OE#	113-3497	07-5055A
In Line Quick Disconnect Drier	Spring Loaded w/Moisture Indicator	3E3535	07-5041A
225 ('85 on), 235 ('85 on), 637D, 988B ('85 on), 992C, D7G, D8N, D9L, D11N	w/Switch, OE #	5V5698	07-5021A
	(Includes 11-3010 switch)		
D9N w/Quick Disconnect Type Drier	w/Switch, OE #	9W0549	07-5023A
	(Includes 11-3010 switch)	8T8642	
All w/Accumulator, OE #		089320-00	07-5052A
All w/Accumulator, OE #	(w/o desiccant)	1018789	07-5047A
		1515261	
D9 (1st Design) 126, 816, 824, 826, 930, 950, 966		1P6541	call
D9N (exc. Quick Disconnect Drier)	O-Ring (4" x 8-3/8")	5V5698	07-5026A
235, 245, 631D, 988B, D8K, D9H (2nd Design), 225, 627, 955, 977, 983B	(Flare fittings) (R12)	6P1309	07-5014
776, 777, D10	O-Ring (3" x 6")	9D6888	07-2003A
992C w/OE #	Flare (2-1/2" x 8")	6K9778	07-3006A
14,16G w/Red Dot A/C	O-Ring (2-3/4" x 6")	RD5-3843-0	07-0603A

Heater Valves

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All Tractors w/OE #	(Cable Operated) 5/8" hose	3P7994	10-3001
	(Can substitute Part No. 10-2620)	7G8699	

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Low Pressure Switch	(Drier Mounted)		11-2029
Low Pressure Switch	(exc. Drier Mounted)		11-3010
High Pressure Switch			11-3012
Thermo-Disc Switch	(Condenser Mounted)	6K9774	11-3013

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Model 777, 126, 120 Grader, 14, 16G	(Cable operated)	2G396	11-3091
D6H, D7, D8, D9, D988B, D16 Grader, 627, 637D, 825, 955, 963, 977, 980, 983, 992C	(Knob operated) 36" capillary tube	8P5346	11-3076
	8P5349		
637E, 922C, 992C	(Knob operated) 30" capillary tube	6K9614	11-3077
All w/OE #	(Knob operated) 48" capillary tube	2G398	11-3075
	(Knob operated) 36" capillary tube	2P4338	11-3076
		8P5349	

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
O-Ring (External Equalized) 14, 16G, 225, 627, 955, 963, 977, 983B, 988B, D6, D7, D8, D9N, D10, D11		2G401	12-3017A
777 (Internal Equalized)		2G397	12-3020A
All w/Block Valve	(2 Ton Valve)	3V258	12-2012A
	(2 1/2 Ton Valve)		12-3022A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX83/90/110/120/140/145/160, D6507C,D7007C,D7807C	w/Double Shaft Motor (5/16") 2 wire	431-7577 433-9305	01-3001
DX83/90/110/120/140/145/160, D6200,D6507C,D7807C	Condenser motor (1/4" or 5/16" shaft) 2 wire	119-2657 118-3560	01-3002
D5600/6600/7000/7500/8500	Pressurizer motor w/Double shaft (3/8") 5 wire	003-4213	01-3016
D5600/6600/7000/7007C/7500/8500	Condenser motor w/Kysor (5/16") 2 wire	003-4607	01-2605
D6200	Evaporator motor w/Double shaft (5/16") 2 wire	003-4579	01-2000
D8006/10006/13006/18006	Condenser motor (5/16") 2 wire	003-4227	01-3012

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX90/110/120		431-3999	call
DX140/145/160		431-4001	call
D6507C/7007C/7807C	Sanden SD508/510 w/5.19" 1gr 12v clutch (R12)		02-3064
	Sanden SD5H14 w/5-1/4" 2gr 12v clutch (R134a)		02-3464
All with York Compressor	6" dia. 2 groove 12v (standard duty)	003-3938	02-3001
	6" dia. 2 groove 12v (heavy duty)		02-3402
	7" dia. 2 groove 12v (standard duty)	003-4530	02-3000
	7" dia. 2 groove 12v (heavy duty)	118-2664	02-3003

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX83	A6 comp.w/5-5/8" dia. 1gr 12v clutch	434-3180	03-1811
DX90/110/120/140/145/160	Sanden SD510 w/5.19" 1gr 12v clutch (R12)	433-0274	call
D6507C/7007C/7807C	Sanden SD508 w/5-1/4" 2gr 12v clutch (R12)		03-3005
	Sanden SD5H14 w/5-1/4" 2gr 12v clutch (R134a)		03-3405
All with York (Rotolock)	Right hand suction (R209/210R)		call
	Left hand suction (R209/210L)	003-4532	03-3004E

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D8006, D10006, D7206	O-Ring Fittings 3" x 6-1/4", OE#	003-4228 003-4583	07-2003A
D13006	Flare Fittings, 2-1/2" x 8"		07-3006A

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX83/90/110/120/140/145/160	Blower switch w/OE#	432-2169 432-2360	call
DX83/90/110/120/140/145/160	Pressure switch w/OE#	432-2167	call
All with OE#	High pressure switch	003-4225	11-3012
All with OE#	Low pressure switch	003-4208	11-2029

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX83/90/110/120/140/145/160		432-5377	call
D6200/7000/7007C/7500/8006/ 8500/10006/13006	Knob Operated, 36" capillary tube	003-4221 003-4619	11-3076
D6507C		433-8212	call
6206,6806,7206 w/OE#	Knob Operated, 36" capillary tube	220743 70272229 922090	11-3076

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
DX83/90/110/120/140/145/160	with OE#	432-2165	call
D5600/6600/ 7000/7007C/7500/8500	w/Kysor, O-Ring fittings, externally equalized (2 tubes)	003-4586	12-3017A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
FW20/30/40/60	Single shaft 12v 3 speed motor		call
TR76-96,TW5/10/15/20/25/30/35, 233,234,335,530A,555,655A,2310, 2600,2610,2910,3600,3610,3910, 4100,4110,4600,4610,5600,5610, 5700,5900,6600,6610,6700,6710, 7600,7610,7700,7710,7810,,7910, 8000,8200,8210,8400,8530,8600, 8630,8700,8730,8830,9000,9200, 9600,9700,9710	Double shaft (3/8") 12v motor OE#	9807217 2807-516-041 D5NN18527AA	01-3016
4400 Swather	Condenser motor 12v single shaft	48652	01-2605
4400 Swather	Double shaft 12v motor	53856	call
FNH Ser. W/OE#	3-1/4' dia. Sealed motor w/vent tube 12v	86525581	01-2017

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
A62/64/66,530A,550,555,8200,8400, 8600,8700,9200,9600,9700,9710	York comp. 7" dia. 2 gr. Std. Duty clutch	D2NN19D649AA ...	02-3000
	York comp. 7" dia. 2 gr. Heavy Duty clutch		02-3003
FW20,TW5/15/20/25/30/35,5600,5610, 5700,5900,6600,6610,6700,6710,7600, 7610,7700,7810,7910,8210,8530,8630, 8730,8830,9000	York compressor 6" dia. 2 gr. Std. Duty clutch	D5NN19D649A	02-3001
	York compressor 6" dia. 2 gr. Heavy Duty clutch		02-3402
TR76/86/96	York compressor w/6-3/4" dia 1 gr. Clutch	D3NN19D649A	02-3007
TR96	Sanden compressor	916199	call
230A,233,234,335,2310,2600,2610,3600, 3610,3910,4100,4110,4600,4610,7840, 7910,8240,8340,9030	Sanden SD508/510 5-1/4" dia. 2 groove clutch	55302	02-3064
	Sanden SD5H14 5-1/4" dia. 2 groove clutch		02-3465
4400 Swather	Sanden SD508 6" dia 2 groove clutch	33366	02-3066
4700/4750 Swather,9030,D6,256,276, 836,846,856,876,936,946,956,976	Sanden SD508/510 5-1/4" dia. 2 groove clutch	55302	02-3064
FNH Ser. W/OE#	Sanden 1 groove overhang clutch		02-3087

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
FW20,TW5/15/25/35,7710,7740,7810, 7910,8000,8210,8530,8630,8700,8730, 8830,9030,9710	Sanden SD5H14 compressor w/5-1/4" 12v 2 gr clutch (R134a SD7H15 model listed. With horizontal rear fittings)	SFD-02-1795 E8NN19D629AA	03-3440
TR76/86/96,A62/64/66,FW20,TW15/25, 5600,5610,5700,5900,6600,6610,6700, 6710,7600,7700,7810,7910,8000,8200, 8210,8400,8530,8600,8630,8700,8730, 8830,9000,9200,9600,9700,9710	York comp. Rotolock (R209/210L)	KB402009 D3NN19D623A	03-3004E
TR86/96	Sanden compressor W/OE#	450805	call
TW5/20/30/35,530A,550,555,7610	York Tube-O comp. (T209/210L)		03-3002E
230A,233,234,335,2310,2600,2610, 3600,3610,3910,4100,4110,4600, 4610,7840,8240,8340	Sanden SD508 comp.w/5-1/4" 12v 2 gr clutch	SFD-01-3769	03-3005
4400 Swather	Sanden SD508 comp w/6" 12v 2 gr clutch (Supplied with 5-1/4" dia clutch)	54358	03-3005
4700/4750 Swather,9030,D6,256, 276,836,846,856,876,936,946,956,976	Sanden SD510 comp.w/5-1/4" 12v 2 gr clutch (With horizontal rear fittings)	88340 9704118	03-3080
FNH Ser.w/Sanden	Sanden SD508/510 comp.w/1gr overhang clutch		03-3020
	Sanden SD7H15 w/6 gr clutch (model 4600)		03-3492
	Sanden SD7H15 w/2 gr clutch (model 4617)		03-3491
	Sanden SD7H15 w/2 gr clutch (model 4626)		03-3416
	Sanden SD7H15SHD w/1 gr clutch (model 4661)		03-3499

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
A62/64/66	O-Ring fittings, 2-1/2" x 10" (R12 only)	D3NN19959A	call
D6,256,276,836,846,856,876,936,946, 956,976	O-Ring fittings, 3" x 10" w/side inlet	70965	07-5037A
TR76/85/86/96	O-Ring fittings, 3" x 6" w/switch port	763787	07-2619A
TR76/85/86/96	O-Ring fittings, 3" x 10" w/o switch port		07-2604A
TW10/20/30,530A,550,555,655A,8000, 8200,8400,8530,8600,8700,9000,9200, 9600,9700,9710	Flare fittings, 3" x 6-1/2"	D6NN19959A	07-0400A
230A,233,234,2310	Push-on fittings, 2-1/2" x 8"		07-3003A
550,560	Flare fittings, 3" x 6-1/2"	D6NN19959A	07-0400A
4400 Swather	w/OE#	58712	call
5610,5900,6610,6710,7610,7710	O-Ring fittings, 4" x 7-1/4" w/side inlet & bracket	E4NN19825AA	07-5025A
5640,7840,8240,8340	Springlock fittings, 3.05" x 14.35"	F0NN19825AC	07-5039A
FNH Ser.w/OE#	O-Ring fittings, 4" x 8-3/8" w/moisture indicator	696524	07-5026A

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/OE#	Low pressure switch w/OE#	SFD-25-1002	11-2029
	High pressure switch		11-3012
All w/OE#	Thermo disc switch (condenser mounted)	D5NN19N548A	11-3013

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
FW20/30/40/60	w/OE#		call
TR86	w/OE#, Knob operated, 48" capillary tube	271474	11-3075
TW5/15/20/25/30/35,7810,7910,8210, 8530,8630,8730	Knob operated, 18" capillary tube	D6NN19N683A	11-3085
		D6NN19N683C	
4400/4700/4750 Swather, 9030,256,276,836,9030	Knob operated, 36" capillary tube	53620	11-3076
		31505	
7840,8000,8200,8240,8340,8400,8600,8700, 9000,9200,9600,9700,9710	Knob operated, 48" capillary tube	D3NN19618A	11-3075

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
A62/64/66,230A,233,234,530A,550, 555,655A	Flare fittings, internally equalized (1 tube)	SFD-25-1038	12-3020A
D6,836,846,856,876,936,946,956,976, 2310,2610,2910	Block type valve w/OE#	79840	12-2012A
FW20/30/40/60,TW10/20/30,8000,9000	Flare fittings, externally equalized (2 tubes)	31510	12-3013A
		D3AH18949AA	
FW20/30/40/60,TW5/10/15/20/25/30/35, 3910,8000,9000	O-Ring fittings, externally equalized (2 tubes)		12-3017A
TR76/96,4700/4750 Swather,9030,256, 276,9030	O-Ring fittings, externally equalized (2 tubes)	70267	12-3035A
TR85	O-Ring fittings, externally equalized (2 tubes)	274571	call
TR86/96	Block type valve w/OE#	847015	call
2600,3600,3610,4100,4110,4600,4610, 5600,5610,5700,5900,6600,6610,6700, 6710,7600,7610,7700,7710,8210	O-Ring fittings, externally equalized (2 tubes)	E7NN19849AA	12-3017A
4400 Swather	Block type valve w/OE#	53617	call
5640,8530,8630,8730,8830	O-Ring fittings, externally equalized (2 tubes)		12-3010A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Tractors			
1988-75 Tractors w/Kysor KH900	Round Heater (24 volt)	275211	01-2005
1978-70 Tractors			01-3061
All	w/Double Shaft 5/16" 12 volt, 3 speed	F89750	01-3001
All	w/Double Shaft 3/8" 12 volt, 3 speed	A42566, F89388	01-3016
All	w/Double Shaft 3/8" 24 volt, 3 speed		01-3021

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All York/CCI/Tecumseh Type	6" Std 2 groove		02-3001
	7" Std 2 groove	A66057	02-3000
	7" HD 2 groove		02-3003

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Frigidaire A6 w/6-7/8" dia	24v new clutch assy (w/R.H. Coil)		30-1813A
	(Requires use of metric fasteners)		
Sanden SD508HD	w/5-1/4" dia. 2 groove clutch (12 volt)	A50977	call
Sanden SD508	w/overhang clutch (12 volt)	A95830	03-3020
Tecumseh (Rotolock)	w/o clutch	A141060	03-3401E
York/CCI 210 HD Equip. Case (Rotolock)	w/o clutch	A64810, A66245	03-3004E
	(Rebuilt may not be supplied in H.D. equipment case type)		
Tecumseh Flange	w/o clutch	1144556	call

Filter Driers

APPLICATION	O.E.M. #	PART NO.
All w/OE #	A61688	07-0602A
07-2603A Includes 11-3010 switch.	A76085, A76312	07-2603A
For drier w/o switch use P/N 07-2604A. (O-ring type.)	L77169	07-1600A
	L109036	07-3006A
	1990758-C2	07-5043A

Heater Cores

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-75 Tractor w/Kysor KH900	Round Heater	280256	call

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Model 2870	w/A-C, Blower Switch	F63866	11-3053
Blower Switch w/OE #		A42622	11-3050
Low Pressure Switch	exc. Drier Mounted	A65785	11-2029
Low Pressure Switch	Drier Mounted		11-3010
High Pressure Switch		A65770	11-3012
Thermo-Disc Switch		A61291	11-3013

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All Models exc. 2870	Knob operated, 18" capillary tube	A42623	11-3085
Models 2870	Knob operated, 36" capillary tube	A43186, A42609, A63865	11-3076

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/OE #	Block Valve (2-1/2 ton)		12-3022A
	Block Valve (2 ton)	1990756C2	12-2612A



Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4000,4020,4030,4040,4230,4240,4320, 4430,4440,4620,4630,4640,4840,5020, 6030,7020,7520,8430,8630 Tractor	Double shaft (5/16") 12v 2 wire, OE#	AR62497 AH63511	01-3003
4400,4420,6600,7700,7720,9400,9500, 9600,CTS Combine	Double shaft (3/8") 12v 3 speed 5 wire	AH80194	01-3016
6600,6620,7720,8820 Combine, 4030, 4040,4050,4055,4240,4250,4255,4440, 4450,4455,4555,4560,4650,4755,4760, 4850,4955,4960,8430,8440,8450,8630, 8640,8650,8850 Tractor	Double shaft (3/8") 12v strap mount 2 wire, OE#	AR82005 RE25160 RE10998	01-3068
4000,4020,4320,4520,4620,5020,6030, 7020 Tractor	Cond. Motor, single shaft 5/16" shaft, OE#	AR49962	01-2605
4520	Stoper Cab w/OE#	AR45856	01-3005
6200,6300,6400,6500 (incl. L-Ser)	All w/OE#	AL110881 AL75105 AL80700	call
7520 Tractor	Singel shaft (5/16") 12v, OE#	AR49962	01-3019
8560,8760,8960 Tractor	Single shaft (5/16") 12, rev., OE#	RE37152	01-3004
8570,8770,8870,8970 Tractor	Single shaft (5/16") 12v CCW, OE#	RE46880	01-0602
All Loaders w/Red Dot AC	Condenser motor 12v	RD5-7129-0	01-2616
	Condenser motor 24v	RD5-7129-24	01-2618
	Heater motor 12v	RD5-5120-0	01-2617
All w/OE#	Double shaft (3/8") w/vent tube, 12v	AR82010	01-3029
	Single shaft 12v w/flange mount	AT158565	01-3057

Blower Wheels

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4000,4020,4030,4040,4230,4240,4320, 4430,4440,4620,4630,4640,4840,7020, 7520,8430,8440,8450,8630,8650,8850	Blower wheel w/double shaft (5/16") motor		18-2200
	Blower wheel w/double shaft (3/8") motor		18-3022
3300,4400,4420,6600,6620,7700,8820	Blower wheel w/double shaft (3/8") motor		18-3023
3300,4400,6600,7700	Condenser Fan (7" CW)		18-3007

Charge Air Coolers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/Modine cooler# 1E3620	39.25" X 21.5" X 2.62", 3" inlet/outlet	RE56719	04C-3007

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
CCI/York			
7700 Combine	York/CCI comp. w/7" dia. 2gr Std.Duty clutch	AH85847	02-3000
	York/CCI comp. w/7" dia. 2 gr Heavy Duty clutch		02-3003
Denso 10PA15C			
10PA15C	w/1 gr 152mm 5.98" Dia. 24V	w/JDeere compr# 03-3173G	02-3092
10PA15C	w/8 gr 124.5mm 4.9" Dia 12V	w/JDeere compr# AL78779	02-3046
10PA15C	w/8 gr 124.5mm 4.9" Dia 24V	w/JDeere compr# AL78779	02-3055
Denso 10PA17C			
10PA17C	w/1 gr 146mm 5.7" Dia. 12V	w/JDeere compr# RE64024	02-3068
10PA17C	w/1 gr 146mm 5.7" Dia. 12V	w/JDeere compr# RE46657	02-3069
	TY6765	TY6626	
10PA17C	w/1 gr 146mm 5.7" Dia. 12V	w/JDeere compr# RE55422	02-3076
		TY6784	
10PA17C	w/1 gr 146mm 5.7" Dia. 24V	w/JDeere compr# AT163728	02-3062
		TY6783	
10PA17C	w/1 gr 146mm 5.7" Dia. 24V	w/JDeere compr# 447100-3830	02-3084
10PA17C	w/1 gr 146mm 5.7" Dia. 24V	w/JDeere compr# RE64024	02-3086
10PA17C	w/1 gr 152mm 5.9" Dia. 24V	w/JDeere compr#	02-3085
10PA17C	w/1 gr 152mm 5.9" Dia. 12V	w/JDeere compr# AT215510	02-3077
		4333459	
10PA17C	w/8 gr 124.5mm 4.9" Dia 12V	w/JDeere compr# RE46609	02-3082
10PA17C	w/8 gr 124.5mm 4.9" Dia 24V	w/JDeere compr# AT1211063	02-3081
10PA17C	w/8 gr 124.5mm 4.9" Dia 24V	w/JDeere compr# 447100-5070	02-3083
10PA17C	w/8 gr 145mm 5.7" Dia 24V	w/JDeere compr# AT168543	02-3080
CLUTCH COILS and DUST COVES			
Denso Compressors	Clutch Coil 12V		02-3180
Denso Compressors	Clutch Coil 24V		02-3181
Denso Compressors	Shallow Type 5/16" thick Dust Cover		02-3176
Denso Compressors	Deep Dish Type 7/8" thick Dust Cover		02-3177
Sanden			
Sanden	w/SD508 comp. w/5-1/4" dia. clutch	6514-6210	02-3064
	w/SD5H14 comp. w/5-14" dia. clutch	6504-6310	02-3464

Compressors

Also See Section V: Illustrated (COMPRESSORS / NIPPONDENSO "DENSO")

MODEL	APPLICATION	O.E.M. #	PART NO.
CCI / TECUMSEH / YORK COMPRESSORS			
4400,6600,7700 Combine	York Rotolock (R209/210L) compressor	AH84826	03-3004E
4400,6600,7700 Combine	York Flange compressor (F209/210R)	AH17726	03-3003E
	CCI Heavy Duty w/Tube-O'ring fittings	ET210L-25150	03-3002E

Compressors

ALL WITH DENSO COMPRESSORS

MODEL	APPLICATION	OEM#	OEM#	OEM#	OEM#	PART NO.
BACKHOE LOADERS						
300D, 310D, 315D, 410D, 510D, 710D	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
310G, 310SG, 315SG,410SG	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
CABLE SKIDDERS						
360DC, 460DC	8 gr 146mm dia 12v 10PA17C	AN22149		447180-8180	471-0454	03-3170
540E, 540G, 640E 640G, 740E, 740G	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
540G-III, 640G-III	8 gr 146mm dia 12v 10PA17C	AN22149		447180-8180	471-0454	03-3170
848G	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163

Compressors (continued)

Also See Section V: Illustrated (COMPRESSORS / NIPPONDENSO "DENSO")

MODEL	APPLICATION	OEM#	OEM#	OEM#	OEM#	PART NO.
COMBINES						
2054, 2056, 2058, 2064, 2066	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
9400, 9500, 9600, CTS RICE	1 gr 136mm dia 12v 10PA17C	RE46657	TY6765	447100-2499	471-0442	03-3164
COMPACT TRACK LOADERS						
CT322, CT332	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-3170
COTTON PICKERS and STRIPPERS						
7450, 9930, 9965, 9970, 9976	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
7455, 7460	8 gr 146mm dia 12v 10PA17C	AN22149		447180-8180	471-0454	03-3170
9935, 9970, 9986, 9996	8 gr 146mm dia 12v 10PA17C	AN22149		447180-8180	471-0454	03-3170
9976	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-3170
CRAWLERS - BULLDOZERS, LOADERS						
All	1 gr 152mm, 6.0" dia 12v, 10PA17C (w/ 5/8" belt width) Aftermarket type					03-3172G
450H, 450J, 550H, 550J, 650H, 650J	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
655B, 750B,750C, 750C -II, 755B,	1 gr 146mm dia 24v 10PA17C	AT163728	TY6783	447100-4198	471-0446	03-3166
850B, 850C, 850C-II						
GRAPPLES						
660D	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
GRAPPLE SKIDDERS						
548E, 548G, 648E, 648G, 748E, 748G	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
LOADERS						
444H, 544H, 624H, 644H, 644J, 724J	8 gr 145mm dia 24v 10PA17C	AT226273		447180-5480	471-0456	03-3162
444H, 744H	1 gr 146mm dia 24v 10PA17C	AT163728	TY6783	447100-4198	471-0446	03-3166
544G, 624G, 644G	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
744H 744J, 824J	8 gr 136mm dia 24v 10PA17C	AT211063		447170-5074	471-0452	03-3169
LOADERS (Log Loader)						
444H LL	1 gr 146mm dia 24v 10PA17C	AT163728	TY6783	447100-4198	471-0446	03-3166
544G LL	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
444H LL, 544HLL, 624HLL	8 gr 145mm dia 24v 10PA17C	AT226273		447180-5480	471-0456	03-3162
MOTOR GRADERS						
670B, 672B, 770B, 772B, 772BH	1 gr 146mm dia 24v 10PA17C	AT163728	TY6783	447100-4198	471-0446	03-3166
SKID STEERS						
260, 270, 280	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
317, 320, 325, 328, 332	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-3170
SPRAYERS						
4710, 4920	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
6100, 6500, 6600	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
TELESCOPIC HANDLERS						
3200, 3215, 3220,	8 gr 125mm dia 12v 10PA15C	AL155836		447170-8931	471-0458	03-3167
3400, 3415, 3420, 3800						
TOOL CARRIERS						
All	1 gr 152mm, 6.0" dia 12v, 10PA17C (w/ 5/8" belt width)					03-3172G
544G TC	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
TC44H	1 gr 146mm dia 24v 10PA17C	AT163728	TY6783	447100-4198	471-0446	03-3166
TC44H, TC54H, TC62H	8 gr 145mm dia 24v 10PA17C	AT226273		447180-5480	471-0456	03-3162
TRACTORS						
4000 SERIES						
4555, 4560, 4755, 4760, 4955, 4960	1 gr 136mm dia 12v 10PA17C	RE55422	TY6784	447100-3838	471-0447	03-3168
5000 SERIES						
5200, 5210, 5220,	1 gr 146mm dia 12v 10PA17C	RE64024	TY6789	447100-8154	471-0448	03-3161
5300, 5310, 5320, 5400, 5500						
5310N, 5320N, 5400N,	1 gr 146mm dia 12v 10PA17C	RE64024	TY6789	447100-8154	471-0448	03-3161
5420N, 5500N, 5510N, 5520N						
5310N, 5320N, 5325N, 5420N,	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
5425N, 5510N, 5520N, 5525N						
5410, 5420, 5425, 5510, 5520, 5525	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163

(continued)

Compressors (continued)

Also See Section V: Illustrated (COMPRESSORS / NIPPONDENSO "DENSO")

MODEL	APPLICATION	OEM#	OEM#	OEM#	OEM#	PART NO.
TRACTORS (continued)						
6000 SERIES						
6100	8 gr 127mm dia 12v 10PA15C	AL78779	TY6769	447100-2324	471-0445	03-3167
6110, 6120, 6200, 6210, 6300, 6310, 6320	8 gr 127mm dia 12v 10PA15C	AL78779	TY6769	447100-2324	471-0445	03-3167
6400, 6405, 6410, 6420, 6500, 6605	8 gr 125mm dia 12v 10PA15C	AL155836		447170-8931	471-0458	03-3167
6403, 6603	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
6310S, 6410S, 6510S	8 gr 125mm dia 12v 10PA15C	AL155836		447170-8931	471-0458	03-3167
6600, 6800	8 gr 127mm dia 12v 10PA15C	AL78779	TY6769	447100-2324	471-0445	03-3167
7000 SERIES						
7200, 7210, 7400, 7510, 7600, 7720, 7815,						
7820, 7920	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
7210, 7410, 7510, 7600, 7700, 7800, 7810	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-3170
7220, 7320, 7420, 7505, 7520	8 gr 125mm dia 12v 10PA15C	AL155836		447170-8931	471-0458	03-3167
8000 Series						
8100, 8100T, 8110, 8100T, 8120,						
8120T, 8130	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
8200, 8200T, 8210, 8210T, 8220,						
8220T, 8230	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
8300, 8300T, 8310, 8310T, 8320,						
8320T, 8330	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
8400, 8400T, 8410, 8410T, 8420,						
8420T, 8430	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
8520, 8520T, 8530	8 gr 145mm dia 12v 10PA17C	RE46609	TY6764	447100-2388	471-0441	03-3163
8570, 8770, 8870, 8970	1 gr 146mm dia 12v 10PA17C	RE46657	TY6765	447100-2499	471-0442	03-3164
9000 SERIES						
9100, 9120, 9200, 9220, 9300, 9320,						
9400, 9420, 9520, 9620	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-1370
9300T, 9320T, 9400T, 9420T, 9520T,						
9620T	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-1370
UTILITY LOADERS						
444J, 544J, 624J	8 gr 145mm dia 24v 10PA17C	AT226273		447180-5480	471-0456	03-3162
WINDROWERS						
4895, 4995, 4890, 4990	8 gr 146mm dia 12v 10PA17C	RE69716	TY24304	447170-2404	471-0460	03-3170
All w/OE#	1 gr 6E171 w/OE#	RE10972	TY6626	047100-8530		30-3160, 03-3160
All w/OE#	8 gr w/10PA17C 24v w/OE#			AT168543		03-3162G
All w/OE#	1 gr w/Ford FS6, 12v w/OE#			RE12513		03-3021
All w/OE#	8 grv, 12v, w/OE#			RE46609		03-3163G
ALL MODELS						
All	Denso 10PA17C w/8gr 24v			AT168543		03-3162
All	Denso 10PA17C w/ 1gr 5.7"dia. 12v (flush pulley)			RE46657		03-3164
All	Denso 10PA17C w/ 1gr 5.7"dia. 24v (flush pulley)			AT163728		03-3166
All	Denso 10PA17C w/ 1gr 5.7"dia. 12v (ext.lip pulley)			RE55422		03-3168
All	Denso 10PA17C, 12 v, 8 grv w/oe#			RE46609		03-3163
All	Denso 10PA17C, 24 v, 8 grv w/oe#			AT172975		03-3162
Backhoe Loaders, Combines, Cotton Pickers/Strippers,						
Tractors and Windrowers						
	All w/Denso 6E171 w/1 gr clutch, 146mm	RE10972			(New)	03-3160
		RE12513			(Reman)	30-3160
		TY6626				
		TY6766				
		047100-8530				
4960	Denso 10P w/pad mount compressor		TY6784			03-3168
6200,6300,6400,6500 (incl. L-Ser)	Denso 10PA15 w/8 gr 4.9"dia. w/OE#		AL78779			03-3167
7200,7400,7600,7700,7800,8100,8200, 8300,8400,8570,8770,8870,8970 Tractor,						
9500 Combine	Denso 10PA17C w/1 gr clutch		TY6764			03-3163A
			RE64024			30-3161
			447200-3089			

(continued)

Compressors (continued)

Also See Section V: Illustrated (COMPRESSORS / NIPPONDENSO "DENSO")

MODEL	APPLICATION	OEM#	PART NO.
GM / FRIGIDAIRE COMPRESSORS			
4400,4420,6600,6620,7700,7720, 8820 Combine, 4000,4020,4030,4040, 4230,4240, 4320,4430,4440,4520, 4620,4630,4640,4840,5020,6030, 7020,7520,8430,8440,8630, 8640 Tractor			
	Frigidaire A6 compressor w/5-5/8" 12v clutch	AR68802	03-1811
		AR77343	
		AR92109	
		TY6665	
All w/24v system	Frigidaire A6 comp. W/5-5/8"dia. 24v	TY6666	call
GM Type Compressors	All models w/A6 comp. w/4-7/8 dia. Clutch	1131243	03-1810
	All models w/A6 comp. w/5-1/2 dia. Clutch	AR68802	03-1811A
SANDEN			
Sanden Type Compressors	All w/7H15SHD, 8 grv 5-1/4" dia JD head (4698)	RE68372	03-3800
SELTEC			
TM21 Compressors	w/TM21HX Compressor 2 gr, 145mm dia. 12v	488-47240	03-3781
All w/Direct Mount	w/TM21HX Compressor 2 gr, 145mm dia. 24v	488-47242	03-3782
	w/TM21HX Compressor 8 gr, 141mm dia. 12v	488-47244	03-3793
	w/TM21HX Compressor 8 gr, 141mm dia. 24v	488-47246	03-3794

Evaporators

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
110,120,160,200,230,270,450LC	w/Red Dot AC	RD2-3008-0	05-2642
310D,410D,510D Backhoe	w/Red Dot AC	RD2-1867-0	call
344E,444E	w/Red Dot AC	RD2-2100-0	call
344G,444G	w/Red Dot AC	RD2-2305-0	call
490E	w/Red Dot AC	RD2-1909-0	05-2643
540E,624E,644E	w/Red Dot AC	RD2-1767-0	call
544G,624G	w/Red Dot AC	RD2-2495-0	call
744E	w/Red Dot AC	RD2-1381-0	05-2617

Filters — In-Cab Air Filters

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	w/8-1/2"x16"x1" w/OE#	AT227170	18-3113
All	w/6-1/2"x12-1/2"x1-3/4" w/OE#	RE187966	18-3114

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4400,4420,6620,7700,7720,8820,9400,9500,9600 4030,4040,4050,4055,4230,4240,4250,4255, 4430,4440,4450,4455,4555,4560,4630,4640, 4650,4755,4760,4840,4850,4955,4960,7200, 7400,7600,7700,7800,8430,8440,8450, 8630,8640,8650,8850	Tractor In-line O-Ring fittings, 4" x 7-1/2", 2 sight glasses	AR59780 AR74486 RE49169	07-5002A
6620,7720,8820,9400,9500,9600,CTS 8100,8200,8300,8400	Combine Tractor M x F O-Ring fittings, 4" x 9" w/moisture ind.	AT125596 AT63170 AH114865 AT151981 AT162848 AT125596	07-5032A
4000,4020,4320,4520,4620,5020, 6030,7020,7520	Tractor Flare fittings, 3" x 6"	AR45867	07-0400A
6200,6300,6400,6500 (incl. L-Ser) 8560,8570,8760,8770,8870,8960, 8970	Tractor M x F O-Ring fittings, 4" x 7-7/8" In-line type Tractor Accumulator	AL77851 RE24620 RE51918	07-5002A 07-1405A
All w/OE#	Flare fittings, 4" x 6-3/4" w/side inlet	RE79486	07-0813A
All w/OE#		AH137486	call

Heater Cores

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
490E	w/Red Dot AC/Heater Unit	RD1-0830-0	call
744E	w/Red Dot AC/Heater Unit	RD1-0985-0	call
992E,992LC	w/Red Dot AC/Heater Unit	RD1-0830-0	call

Heater Valves

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/OE#	Cable operated 5/8" hose	AH112704	10-3001

Switches – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4400,4420,6600,6620,7700,7720,8820 Combine 4000,4020,4030,4040, 4230,4240,4320,4430,4440,4520, 4620,4630,4640,4840,5020,6030, 7020,7520,8430,8440,8630,8640 Tractor	Superheat switch w/A6 compressor	AR78501	11-0210
4400,4420,6600,6620,7700,7720,8820 Combine 4400,4020,4030,4040, 4050,4055,4230,4240,4250,4255, 4320,4430,4440,4450,4455,4520, 4555,4560,4620,4630,4640,4650, 4755,4760,4840,4850,4955,4960, 5020,6030,7020,7520,8430,8440, 8450,8560,8570,8630,8640,8650, 8760,8770,8850,8870,8960,8970 Tractor	Thermo-Disc switch, condenser mounted	AR45868	11-3013
4420,6600,6620,7700,7720,8820 Combine 4000,4020,4030,4040, 4050,4055,4230,4240,4250,4430, 4440,4450,4455,4555,4560,4620, 4630,4640,4650,4755,4760,4840, 4850,4955,4960,5020,6030,8430, 8440,8450,8630,8640,8650,8850 Tractor	Blower switch, 5 term. w/o resistors	AH84588 AR49964 AR53155 AR82014	11-3050
4050,4250,4450,8560, 8570,8760,8770,8870,8960,8970 Tractor	Blower switch w/OE#	AR82013 RE32762	call
4420,6620,7720,8820 Combine	Low pressure switch, OE#	AT63266	call
4420,6620,7720,8820 Combine	High pressure switch, OE#	AT63265	call
6600,7700 Combine	Low pressure switch, OE#	AH84163 AH84166 AH83293	call
6600,7700 Combine	High pressure switch, OE#	AH84165 AH83292 AH89817	call
9500,9600,CTS Combine	Low pressure switch, OE#	AH116110 AH144084	call
9500,9600,CTS Combine 4050,4250,4450,4455,4555,4560,4620,4650, 4755,4760,4840,4850,4955,4960,7200,7400, 7600,7700,7800 Tractor	High pressure switch, OE#	RE24307	call
4050,4250,4450,4455,4555,4560,4620, 4650,4755,4760,4840,4850,4955,4960, 7200,7400,7600,7700,7800 Tractor	Low pressure switch, OE#	RE24308	call
4320,7020,7520 Tractor	Blower switch w/OE#	AR53154 AR53155 AR49964	call
7200,7400,7600,7700,7800,8100,8200, 8300,8400 Tractor	Blower switch w/OE#	RE43497	call
8100,8200,8300,8400,8570,8770,8870, 8970 Tractor	Low pressure switch, OE#	RE60887	call
8100,8200,8300,8400,8570,8770,8870, 8970 Tractor	High pressure switch, OE#	RE60888	call
8560,8570,8760,8770,8870,8960, 8970 Tractor	Pressure cycling switch w/Accumulator	RE52295	call
8650,8850 Tractor	High pressure switch, OE#	RE17366 RE11468	call
All w/OE#	High pressure switch, OE#	AR44321	11-3012

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4400 Combine			
4320,4620,5020,6030,7020,7520 Tractor	Knob operated, 72" capillary tube	AR53324	11-3086
4420,6600,7700 Combine	Knob operated, 48" capillary tube	AH80197	11-3075
6600,6620,7700,7720,8820 Combine			
4030,4050,4055,4230, 4240,4250,4255,4430,4440,4450,4455,4520, 4555,4560,4620,4630,4640,4650,4755,4760, 4840,4850,4955,4960,5020,8430,8440,8450, 8630,8640,8650,8850 Tractor	Knob operated, 36" capillary tube	AR49960 AR59779	11-3076
7200,7400,7600,7700,7800 Tractor	w/OE#	RE48284	call
8570,8770,8870,8970 Tractor	w/OE#	AH144020	call

Valves – Expansion

Also See Section V: Illustrated

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
4400,4420,6600,7700 Combine	Flare fittings, externally equalized (2 tubes) OE#	AH80191	12-3013A
6620,7720,8820 Combine			
4030,4040,4050,4055, 4230,4240,4250,4255,4430,4440,4450, 4455,4555,4560,4630,46640,4650,4755, 4760,4840,4850,4955,4960,8430,8440, 8450,8630,8640,8650,8850 Tractor	O-Ring fittings, externally equalized (2 tubes)	AR58482 AH140818	12-3035A
9400,9500,9600,CTS Combine	Block valve, OE#	AH122867 AH137702	12-0615A
4000,4020,4320,4520,4620,5020,6030, 7020,7520 Tractor	Flare fittings, internally equalized (1 tube)	AR49961	12-3020A
6200,6300,6400,6500 (incl. L-Ser), 7200,7400,7600,7700,7800 Tractor	Block valve, OE#	AL77579 RE62137	call
8100,8200,8300,8400 Tractor	Block valve, OE#	RE57575	12-3027A
8560,8570,8760,8770,8870, 8960,8970 Tractor	Orifice tube w/Accumulator system	RE24958 RE51969	12-0211
All w/OE#		RE13886	call

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1996-94 PC250-6, PC200-6, PC210-6 Excavator	w/Eagle A/C (24v)	404-825 2809-530-013	01-3045
Wheel Loader (WA Series)	w/Eagle A/C (24v)	404-825 2809-530-013	01-3045
All	w/Red Dot R1550-1600 Unit (24v)	RD5-8073-24	01-2661

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
10PA15C Compr	24v 1grv, 152mm, 5.98" dia. (used on 03-3173G compr)		02-3092

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
WA600-3L (ser. # A52001-up)	w/Denso 1 groove 6" 152mm Dia. 24V	447200-1741	03-3173G
Nippondenso 10PA15C	w/1 groove overhang 24v clutch	047200-0240	call

Condensers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	w/OE#	1439697H1	04-2014

Evaporators

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
WA350-600 Loaders	w/Red Dot A/C	RD3312-0	05-2651
Excavators	w/Red Dot A/C (#R1620 Unit)	RD2-3070-0	05-2640
All	w/Red Dot A/C (#R 9800 Unit)	RD2-2885-0	call
All	w/Red Dot A/C (#R 1550-1600 Units)	RD2-2762-0	05-2639

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	Accumulator Pad Type w/OE#	176-1902 20Y-979-320	07-5054A

Heater Cores

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Excavators	w/Red Dot A/C (R1620 Unit)	RD1-1603-0	call
All	w/Red Dot A/C (R1550-1600 Units)	RD1-1351-0	call

Valves — Expansion (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All	w/Red Dot A/C (R1620 Unit)	RD5-7015-0	12-2612A
	w/Red Dot A/C (R1550-1600, R9800 Units)	RD4157-0 RD5-6868-0	12-2012A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
410,510 Combine	Evaporator motor OE#	1030613M91	call
410,510,540,550,750,760 Combine	Condenser motor, single shaft (1/4" or 5/16")	250936M92 274939M3	01-3002
550,850 Combine	Cond. Motor (3-1/4" dia. w/vent tube)	284573M2	01-2017
750,760,850,860,865 Combine,285, 1085,1155,1505,1805,2640,2675,2705, 2745,2775,2805,3505,3525,3545 Tractor	Double shaft (3/8") 12v 3 speed 5 wire	1048515M91 1681361M91 1894729M91	01-3016
860,865,8560 Combine	Condenser motor OE#	293818M1	call
8570,8590 Combine	Double shaft motor OE#	1071957M91	call
9720 Combine	w/OE#	2801037W91 1070374M91	call
383,390,393,396,398 Tractor	w/OE#	3900465M91	call
690,698,699 Tractor	w/OE#	3302177M91	call
1080,1100,1130,1150 Tractor	Condenser motor OE#	1038330M91	call
3050,3060,3070,3090,3120T,3140,3630, 3650,3660,3670,3680,3690,6150,6170, 6180,8120,8140,8160 Tractor	Double shaft w/OE#	3310831M91 3902321M91	call

Clutches – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
410,510 Combine	York comp. W/7" dia 2 groove Heavy Duty	470039M91	02-3003

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All Frigidaire A6	w/5-5/8" dia. clutch		03-1811
500-4000 Ser.w/SN# C210010 and up	Sanden SD7H15 (model 4708) w/2 gr 12v clutch	3712528M2	03-1858
3060,3660,3670 Tractor	Sanden SD7H15 (model 4643) w/2 gr 12v clutch		03-3419
410,510,8590,9720 Combine	York/CCI Rotolock (R209/210L) compressor	250951M91 1034589M91	03-3004E
410,510,8590,9720 Combine	York/CCI Tube-O (T209/210L) compressor	1026088M91	03-3002E
540,550,750,760,850,860,865 Combine 1105,1135,1155,1505,1805,2640,2675, 2705,2745,2775,2805,3505,3525, 3545 Tractor	Frigidaire A6 comp.w/6-3/4" diia 12v clutch	595995M91 586126M91 771810M91	30-1815
550,850,860,865 Combine	R4 compressor	294184M91	call
750,760 Combine	York/CCI Flange (F209/210R) compressor	1042505M91	03-3003E
285 Tractor	w/OE#	582540M91	call
383,390,393,396,398,399 Tractor	Sanden SD510 (model 9689) w/2 gr clutch	1688310M1	03-1833
	Sanden SD7H15 (model 4708) w/2 gr 12v clutch	3763384M91	03-1858
690,698,699 Tractor	Sanden SD510 (model 9120) w/2 gr 12v clutch	690711M1	03-3008
1080,1085,1100,1130,1150,1500, 1800 Tractor	Frigidaire A6 comp w/5-5/8" dia. 12v clutch	530748M91 521257M92	03-1811
3050,3060,3070,3090,3120T,3140,3505, 3525,3545,3630,3650,3660,3670,3680, 3690 Tractor	Sanden SD510 (model 9149) w/2 gr clutch	3386861M1	call
3060,3660,3670,3690,6150,6170,6180, 8120,8140,8160	Sanden SD7H15 (model 4708) w/2 gr 12v clutch	3712528M2	03-1858

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
410,510,750,760 Combine	Flare fittings, 3" x 6"	1034581M91	07-0400A
	Flare fittings, 2-1/2" x 8"	1032477M91	07-3006A
		1039481M91	
8570,8590,9720 Combine	Flare fittings, 2-3/4" x 10" w/switch	3347710M1	07-2603A
		72161835	
285,383,390,393,396,398,399,690,698, 1080,1085,1100,1105,1130,1135,1150, 1155,1500,1505,1800,1805,3050,3060, 3070,3090,3140,3505,3525,3545,3630, 3650,3660,3670,3680,3690 Tractor	Flare fittings, 3" x 6"	772075M91	07-0400A
	Flare fittings, 2-1/2" x 8"	3383321M1	07-3006A
		376335M1	
690,698,699,2640,3545 Tractor	O-Ring fittings 3" x 6"	692462M91	07-0603A
3060,3670,3690,6150 6170,6180,8120, 8140,8160 Tractor	O-Ring fittings 2-3/4" x 6" w/port	3712495M1	07-2619A
2675,2705,2745,2775,2805 Tractor	O-Ring fittings, 2-1/2" x 8" w/female port	3039149M91	07-0602A

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
Low Pressure Switch		274011M1	11-2029
410,510,540 Combine	Blower switch, OE#	250696M1	call
		1034699M91	call
750,760 Combine			
285,1085,1105,1135,1155,1505, 1805 Tractor	Blower switch, 5 term.w/o resistors	271105M1	11-3050
8560,8590 Combine	Blower switch, OE#	1072136M1	call
8570,9720 Combine	Blower switch, OE#	7761220M91	call
383,390,393,396,398,399 Tractor	Blower switch, OE#	3478458M1	call
690,698,699 Tractor	Blower switch, OE#	1427875M91	call
1080,1100,1130 Tractor	Blower switch, OE#	1037373M91	call
2640,2675,2705,2745,2775,2805, 3505,3525 Tractor	Blower switch, OE#	1619603M1	call
540,550,750,760,850,860,865 Combine			
1080,1085,1100,1105,1130,1135, 1150,1155,1500,1505,1800,1805, 2640,2675,2705,2745,2775,2805, 3505,3525 Tractor	Superheat switch, A6 compressor	837255M91	11-0210
All w/OE#	High pressure switch	250958M1	11-3012
	Low pressure switch	274011M1	11-2029
	Thermo Disc switch (condenser mounted)		11-3013

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
410,510,540,750,760 Combine 285,383,390,393,396,698,699, 1080,1085,1100,1105,1130,1135, 1150,1155,1500,1505,1800,1805, 2640,2675,2705,2745,2775,2805, 3525,3545 Tractor	Knob operated, 48" capillary tube	250698M1 1034565M91 3320059M2	11-3075
410,510 Combine	w/OE#	1030616M91	call
8560,8570,8590 Combine	w/OE#	1072139M91	call
383,390,393,396,398,399 Tractor	w/OE#	3478454M1	call
690,698,699,3050,3060,3070,3090,3120, 3140,3630,3650,3660,3670,3680, 3690 Tractor	w/OE#	3310669M91	call
3525,3545 Tractor	w/OE#	3386261M1 1690929M1	call call
6150,6170,6180,8120,8140,8160 Tractor	w/OE#	3902216M1	call



Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
410,510 Combine	O-Ring fittings, internally equalized (1 tube)OE#	1034564M91	12-1600A
	Flare fittings, externally equalized (2 tubes)OE#	250902M1	call
	Flare fittings, internally equalized (1 tube)OE#	1024984M92	12-3020A
540,550 Combine	O-Ring fittings, internally equalized (1 tube)OE#	237409M1	12-3034A
750,760,850,860,865 Combine	O-Ring fittings, internally equalized (1 tube)OE#	3038920M91	12-3034A
	Flare fittings, internally equalized (1 tube)OE#	529876M91	12-3020A
	Flare fittings, externally equalized (2 tubes)OE#	250902M1	call
850,860,865 Combine	Block valve, OE#	284238M1	12-2012A
8560,8570,8590,9720 Combine	Flare fittings, externally equalized (2 tubes)OE#	1072136M91	call
383,390,393,396,398,399 Tractor	O-Ring fittings, internally equalized (1 tube)OE#	3478520M91	12-1601A
690,698,699,2640,3505,3525,3545 Tractor	O-Ring fittings, externally equalized (2 tubes)OE#	3380223M1	call
1080,1100,1130,1150 Tractor	O-Ring fittings, internally equalized (1 tube)OE#	1034564M91	12-1600A
1085,1105,1135,1155,1505,1805 Tractor	Flare fittings, internally equalized (1 tube)OE#	529876M91	12-2200A
1500,1800 Tractor	Flare fittings, externally equalized (2 tubes)OE#	250902M1	call
2675,2705,2745,2775,2805 Tractor	O-Ring fittings, externally equalized (2 tubes)OE#	3321511M91	12-3035A
	O-Ring fittings, internally equalized (1 tube)OE#	3038920M91	12-3034A
2775,2805 Tractor	Flare fittings, externally equalized (2 tubes)OE#	1626141M1	call
3050,3060,3070,3090,3120T,3140,3630, 3650,3660,3670,3680,3690 Tractor	Block valve, OE#	3311533M91	12-2012A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-72 All w/Kysor Unit	24v GE	274222	call

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/Frigidaire A6 (with L.H. Coil Position (11:00 PM). Not for use with CCW applications.)	w/6-7/8" dia. clutch 24 volt	1131274	03-1813A
All w/Frigidaire A6 (with L.H. Coil Position (11:00 PM). Not for use with CCW applications.)	w/5-5/8" dia. clutch 24 volt	1131478	30-1818
All w/Frigidaire A6 (with L.H. Coil Position (11:00 PM). (CCW rotation compressor).	w/4-7/8" dia. clutch 24 volt, CCW	2724154	call
All w/Frigidaire A6	w/5" dia. 24v clutch (high pressure switch)	1131274	03-1826

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
All w/OE #	Female O-Ring 3" x 8-1/2", GM style (Note: for R12 only. Use 07-0200A and 08-3075 for retrofit to R134a.)	3046235	see note
	Male O-Ring, 2-1/2" x 8" w/Switch Port	400003	07-5019A

Heater Valves

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-72 Loader/Hauler	w/Kysor Unit (Can substitute P/N 10-2620)	173048	10-3001

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-72 Loader/Hauler	w/Kysor Unit, Toggle Switch	220758	11-3056

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-72 Loader /Hauler	w/Kysor Unit, Cable operated	404019	11-3091
All w/OE #	Knob operated, 18" capillary tube	9038467	11-3085

Valves — Expansion (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
1988-72 Loader/Hauler	w/Kysor Unit, O-Ring fittings externally equalized (2 tubes)	404073	12-3017A
All w/OE #	O-Ring fittings externally equalized (2 tubes)	9053997	12-3017A

Blower Motors

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,256,276,756,836,1156	Double shaft (5/16") 12v 2 wire, OE#	105385	call
D6,500,555,700,750,800,825, 835,836,850,855,856,875, 876,900,935,950,1156	Double shaft (3/8") 12v 3 sp 5 wire, OE#	35513 18380	01-3016
150,160	w/OE#	48703	call
		48652	call
700,800,850,900	w/OE#	18386	call
835,855,856,875,876,895,935, 945,950,955,975	w/OE#	56663	call
Swather w/Kysor AC (79-86)	Cond.motor 12v single shaft 2 wire	275130	01-2605
Tractor w/Kysor AC (78-80)	Evap.motor 12v double shaft 2 wire	275152	01-2000

Clutches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,160,256,276,555,756,835,836, 855,856,875,876,895,945,955,975, 1150,1156	Sanden SD508/510 12v 5-1/4" dia. 2 groove	55302 67026	02-3064
700,750,800,825,835,850,855,875, 895,900,935,950	York/CCI/Tecumseh 7" dia. 12v 2 groove	17906	02-3000
	York/CCI/Tecumseh 7" dia. 12v 2gr HD		02-3003
	York/CCI/Tecumseh 6-3/4" dia 12v 1 groove	19107	02-3009

Compressors – (Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,256,276,756,836,856,876,1156	Sanden SD510 (model 9125) w/2 gr clutch	88340 9704118	call
150,500	Sanden comp w/OE#	33634	call
700,750,800,825,835,850,855,875, 895,900,935,950	York/CCI Rotolock (R209/210L) compressor	17905	03-3004E
160,555,835,855,875,895,945,955, 975,1150	Sanden SD510 (model 9103) w/2 gr clutch	63557 63456	03-3008

Filter Driers

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,256,276,756,836,856,876,1156	O-Ring, 3" x 10" w/side inlet	70965	07-5037A
160	w/OE#	58712	call
500,555,700,750,800,825,835,850, 855,875,895,900,935,945,950,955,975	Flare, 4" x 6-3/4" w/side inlet	30080	07-0813A
700,800,825,850,900	Flare, 2-1/2" x 8"	18395	07-3006A
1150	w/OE#	63703	call
		63705	call
All w/OE#	O-Ring, 3" x 9" with PRV	9705765	07-2604A
Swather w/Kysor AC (79-86)	O-Ring, 4" x 7" w/side inlet	402527	07-2007A
Tractor w/Kysor AC (78-80)	O-Ring, 2-3/4" x 10" Tee-flow	402529	07-2604A
		70965	07-5037A

Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,150,160,256,276,500,555,700,750, 756,800,825,835,836,850,855,856,875, 876,895,900,935,945,950,955,975, 1150,1156	Thermo Disc switch, condenser mounted		11-3013
	Low pressure switch w/OE#	31509	11-2029
	High pressure switch w/OE#	30377	11-3012
Swather w/Kysor AC (79-86)	High pressure switch	404081	11-3012
Tractor w/Kysor AC (78-80)	Rocker switch	220891	11-3055

Thermostat Switches

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,256,276,500,555,700,750,756,800, 825,835,836,850,855,856,875,876,895, 900,935,945,950,955,975,1150,1156	Knob operated, 36" capillary tube	53620	11-3076
		31505	
	Knob operated , 48" capillary tube	18342	11-3075
700,800	Lever operated	18392	call
1150	w/OE#	62481	call
Swather w/Kysor AC (79-86)	Knob operated, 36" capillary tube	404028	11-3076
Tractor w/Kysor AC (78-80)	Cable operated, 18" capillary tube	404077	11-3079

Valves — Expansion

(Also See Section V: Illustrated)

APPLICATION	DESCRIPTION	O.E.M. #	PART NO.
D6,756,836,856,876,1156	Block Valve	79840	12-2012A
150,160	w/OE#	48724	call
256,276	O-Ring fittings, externally equalized (2 tubes)	70267	12-3035A
500,555,700,750,800,825,835,850, 855,875,895,900,935,945,950,955,975	Flare fittings, externally equalized (1-1/2 ton)	31510	12-3013A
700,800,850,900	Flare fittings, internally equalized (1 tube)	18384	12-3021A
1150	w/OE#	63145	call
Swather w/Kysor AC (79-86)	Block Valve	404098	12-2012A
Tractor w/Kysor AC (78-80)	O-Ring fittings, externally equalized (2 tubes)	404073	12-3017A